



INDEX MAPS.

T. 1 N. R. 9 E. 2nd Mer.



T. 2 N. R. 9 E. 2nd Mer.



The figures on the lines refer to the page.

345

Township N. 1 North, Range N. 9 East 2^d Mer. Indiana

South Boundary. var. 5.50' E.

Set post for the corner of Town 1 North of North
Range 9 East, from which
a Buckeye 18 in. dia. - bray N 82 W 30 lks. dist. of
a Honey Locust 14 " " " N 29 W 40 " "

The above post stands on the bank of the Ohio
River. Sept. 15th. 1806 - Thence

West On S. boundary of Sec. 35 (from the above post)
18.05 Set post Cor. to Sec. 34 & 35, from which
a Beech 12 in. dia. - bray N 80 W 23 lks. dist. of
an Ash 12 " " " N 50 E 35 " "
(description of land &c. omitted)

West On S. boundary of Sec. 34

7.20 a Poplar 48 in. dia.

27.90 Set a post in a line of the Union Grant, from wh.
a Beech 36 in. dia. - bray N 8 E 23 lks. dist. of
a Do. 12 " " " N 4 W 37 " "
Level good land, timber Beech, Poplar, Ash &c.

East Boundary

September 13th. 1806. variation 5.50' E.

South On E. boundary of Sec. 1

7.50 a Spring Course S. W

40.00 Set of Sec. post, from which
a Poplar 16 in. dia. - bray S 71 E 21 lks. dist. of
a Beech 14 " " " N 39 W 31 " "

63.64 a Do 15 " "

80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 3 in. dia. - bray South 8 lks. dist. of
a Poplar 36 " " " N 65 E 30 " "
Level good land, timber Oak, Poplar, Beech &c.

South On E. boundary of Sec. 12

21.00 an Elm 15 in. dia.

25.00 a Brook 6 lks. wide Course W.

T^h N. R^g E. 2^d Mer. Indianach^d. lth.36.00 a Brook 3 lths. wide Course W.40.00 Set q^r. Sec. post, from whicha Walnut 24 in. dia. - bray N 14 W 4 lths. dist. of

a Sugar 6 " " " N 14 W 22 " "

55.25 a Buckeye 24 " "

80.00 Set post Cor. to Sec. 12 of 13, from which

a H. Oak 16 in. dia. - bray N 32 W 28 lths. dist. of

a Beech 15 " " " S 8 E 33 " "

Level rich land, timber Oak, Sugar &c

South On E. boundary of Sec. 13

36.60 an Ash 12 in. dia.

40.00 Set q^r. Sec. post, from whichan Elm 7 in. dia. - bray N 78 E 8 lths. dist. of

a Mulberry 7 " " " N 53 W 16 " "

54.50 a Brook 6 lths. wide Course W.

55.00 a Beech 8 in. dia.

80.00 Set post Cor. to Sec. 13 of 24, from which

a Poplar 72 in. dia. - bray East 5 lths. dist. of

a Beech 14 " " " West 5 " "

First 1/2 mile rich hill side, Sugar, Elm, Ash.

last 1/2 mile River bottom, timber Beech, Poplar &c.

South On E. boundary of Sec. 24

23.00 a Beech 24 in. dia.

30.00 Set post on the bank of the River from which

a Sycamore 24 in. dia. - bray N 27 W 26 lths. dist. of

an Elm 36 " " " N 37 E 47 " "

River bottom, timber Beech, Poplar &c.

North Boundary. Sept. 19. 1806

East On R^g S. boundary of Sec. 31, T^h N. R^g E.40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Cor. to Sec. 31 of 32, T^h N. R^g E.

Good land, timber Poplar, Beech &c.

T. 1 N. R. 9 E. 2nd Mer. Indiana

347

ch. 1/2 hr.

East On Rand^m. S. boundary of Sec. 32, T. 1 N. R. 9 E.

40.00 Set temp^y. q^r. Sec. post

72.00 a Creek 6 hrs. wide Course S.

80.00 Set temp^y. Cor. to Sec. 32 & 33

Good level land timber Oak, Poplar &c.

East On Rand^m. S. boundary of Sec. 33, T. 1 N. R. 9 E.

40.00 Set temp^y. q^r. Sec. post

41.00 a Brook 3 hrs. wide Course N.W.

80.00 Set temp^y. Cor. to Sec. 33 & 34

Rich level land, timber Beech, Poplar &c.

East On Rand^m. S. boundary of Sec. 34, T. 1 N. R. 9 E.

16.00 a Brook 3 hrs. wide Course S.E.

24.00 a do. 3 " " " S.

40.00 Set temp^y. q^r. Sec. post

60.00 a Creek 30 hrs. wide Course South

70.00 a Brook 6 hrs. " " S.W.

80.00 Set temp^y. Cor. to Sec. 34 & 35

Hilly stony land, timber Oak, Poplar, Beech &c.

East On Rand^m. S. boundary of Sec. 35, T. 1 N. R. 9 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec. 35 & 36

Fallen timber very bushy

East On Rand^m. S. boundary of Sec. 36, T. 1 N. R. 9 E.

1.00 a Brook 3 hrs. wide Course S.

10.00 a do. 3 " " " S

40.00 Set temp^y. q^r. Sec. post

48.50 a Brook 8 hrs. wide Course S.

80.00 fell 75 hrs. S. of the corner of Town 1 & 2 North
in Ranges 9 & 10 East

Fallen timber very bushy hills & rocks.

True Line.

var. 5.50' E.

T^hN R9 E. 2ⁿ Mer. Indiana
ch. p. l^y

West On S. boundary of Sec. 36, T^hN R9 E.

40.00 Set of Sec. post, from which
a Poplar 48 in. dia. bray East 31 l^y. dist.
no other timber near

80.00 Set post Cor. to Sec. 35 & 36, T^hN R9 E. from which
an Ash 14 in. dia. bray S60°W 10 l^y. dist. of
a do 15 " " " N80°E 20 " "

West On S. boundary of Sec. 35, T^hN R9 E.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bray N27°E 34 l^y. dist. of
a Poplar 30 " " " N25°W 52 " "

80.00 Set post Cor. to Sec. 34 & 35, T^hN R9 E. from which
a Beech 16 in. dia. bray North 50 l^y. dist. of
a W. Oak 14 " " " S89°W 96 " "

West On S. boundary of Sec. 34, T^hN R9 E.

40.00 Set of Sec. post, from which
an Elm 10 in. dia. bray S71°E 13 l^y. dist. of
an Ash 18 " " " N29°W 31 " "

80.00 Set post Cor. to Sec. 33 & 34, T^hN R9 E. from which
a Beech 16 in. dia. bray S67°W 14 l^y. dist. of
a do. 18 " " " N47°W 45 " "

West On S. boundary of Sec. 33, T^hN R9 E.

40.00 Set of Sec. post, from which
a Poplar 36 in. dia. bray N45°E 33 l^y. dist. of
a Beech 36 " " " S42°W 39 " "

80.00 Set post Cor. to Sec. 32 & 33, T^hN R9 E. from which
a Beech 6 in. dia. bray N45°W 10 l^y. dist. of
a Gum 14 " " " S9°E 17 " "

West On S. boundary of Sec. 32, T^hN R9 E.

40.00 Set of Sec. post, from which
a Beech 14 in. dia. bray N55°W 19 l^y. dist. of
a do. 14 " " " S81°E 55 " "

T. N. R. 9 E. 2^d. Mer. Indiana

349

ch. l. l. l.

80.00 Set post Cor. to Sec. 31, T. N. R. 9 E. from which
a Beech 16 mi. dist. bearing S 43 E 25 l. dist. of
a Sugar 24 " " " N 39 W 31 " "

West On S. boundary of Sec. 31, T. N. R. 9 E.

40.00 Set of Sec. post, from which
a Beech 12 mi. dist. bearing N 76 E 12 l. dist. of
a Do. 12 " " " N 18 W 10 " "

80.00 to the corner of Towns 1 & 2 N. Range 8 & 9 East

West Boundary. var. 5° 50' E.

South On E. boundary of Sec. 1, T. N. R. 8 E.

20.00 a Poplar 60 m. dist.

24.00 a Brook 5 l. wide Course W.

40.00 Set of Sec. post, from which
an Elm 10 mi. dist. bearing N 14 W 15 l. dist. of
a Beech 16 " " " S 46 E 20 " "

47.50 a Creek 30 l. wide Course S. W.

74.50 Set post in Grant line 200 l. S 36 E. of temp. post
moved it on true line, from which
a Beech 9 mi. dist. bearing N 77 W 14 l. dist. of
a Do. 16 " " " S 27 W 36 " "

Rich level land, timber Beech, Ash, Elm, Sugar &c.

September 30th 1876.

Surveyed By

Alexander Holmes

Deputy Surveyor

Subdivision

South Between Sec. 1 & 2, T. N. R. 9 E.

15.00 enter timber land

31.50 a stream 6 l. wide Course S. E.

37.00 descend a Cliff of Rocks

40.00 a Walnut 18 m. dist. (marked for of Sec. Corner

41.50 rose the Cliff of rocks on South side of a Spring
branch runs S. E. rocks 40 ft. high

St. R. G. 2^d. Mer Indiana

ch. l. l. y

80.00 Let post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 15 mi. dist. (bray) N 45° W 18 lns. dist. of
 a do. 12 " " " " S 64° E 27 " "
 Land 3^d rate Beech, Oak, Poplar &c

East Out Rand^m. between Sec. 1 & 12

12.00 a stream 12 lns. wide Course S.

40.00 Let lmp^y. of Sec. post

80.20 Intersected E. boundary 250 lns. N. of post
 This mile much broken, Beech, Poplar, Oak &c
 Soil 3^d rate

West Cor. between Sec. 1 & 12

40.10 Let of Sec. post at average dist. from which
 a Beech 16 mi. dist. (bray) N 80° W 29 lns. dist. of
 a do. 22 " " " " S 30° W 32 " "

68.00 a stream 12 lns. wide Course S. begin to ascend steep hill

80.20 to the corner

South Between Sec. 1, 11 & 12

25.00 begin to descend steep hill

35.50 a small stream 6 lns. wide Cr. E.

40.00 Let of Sec. post, from which
 a W. Oak 18 mi. dist. (bray) N 50° E 24 lns. dist. of
 a do. 16 " " " " S 38° W 29 " "

45.00 a small improvement fence bottom

65.00 begin to ascend a steep hill

72.50 a fine spring in the side of a hill

80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which
 a Spruce 28 mi. dist. (bray) N 50° E 25 lns. dist. of
 a Blue Ash 18 " " " " N 40° E 29 " "

This mile very hilly, Beech, Oak, Ash, Sugar
 Buckeye &c. Soil 3^d rate

South Between Sec. 2 & 3

15.00 enter timber land

N. R. E. 2^d Mer. Indiana

351

ch. 2^d 1/2

- 40.00 Set q^r. Sec. post, from which
a Beech 8 mi. dist. by East 11 1/2 km. dist. of
a do. 15 " " " N 68 W 21 " "
74.00 a Spring branch Cr. S. W. large rocks like houses
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 30 mi. dist. by N 38 E 48 km. dist. of
a do. 4 " " " N 16 W 9 " "
Sand level 3^d rate, Beech, Oak, Poplar, birch, &c.

East On Rand^m. between Sec. 2 & 11

- 40.00 Set temp^y. q^r. Sec. post
80.11 Intersected the N & S. line at the post
This mile level 2^d rate land, Beech, Poplar, Spruce

West Connected between Sec. 2 & 11

- 40.05 Set q^r. Sec. post at average dist. from which
a Hickory 18 mi. dist. by N 89 W 18 km. dist. of
a W. Ash 40 " " " N 15 E 13 " "
80.11 to Sec. Corner.

South Between Sec. 10 & 11

- 17.00 a Cliff of rocks on each side of a gut or hollow
30.00 a stream 20 km. wide Course S. E.
40.00 Set q^r. Sec. post, from which
a Beech 12 mi. dist. by S 89 W 9 km. dist. of
a do. 28 " " " N 14 E 16 " "
60.00 begin to descend a steep hill
78.00 a stream 10 km. wide Course E.
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Sycamore 30 mi. dist. by N 10 W 32 km. dist. of
a Walnut 3 " " " N 45 W 10 km. "
This mile Mountain or large hills, Oak & 3^d rate

South Between Sec. 3 & 4

- 15.00 enter fallen timber lead, E & W.
40.00 Set q^r. Sec. post, from which

St 129 E. 2^d Mer. Indiana

ch. 2^d 1/4

- a W. Ash 10 in. diam. bran N 61 E 15 lns. dist. of
 a Beech 8 " " " N 44 W 17 " "
 72.00 a Spring branch runs S. E.
 80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
 a Beech 16 in. diam. bran N 28 E 33 lns. dist. of
 a Do. 18 " " " N 10 W 27 "
 This mile level 2^d rate land timber Beech, Poplar
 Gum &c.

East On Rand^m. between Sect. 3 & 10

- 40.00 Set temp^y. of Sec. post
 79.90 Intersected the N & S. line 54 lns. S. of post
 This mile broken 14th rate Rocks & everything
 bad Snakes of all sorts O., timber Beech
 Oak & Poplar

West Corrected between Sect. 3 & 10

- 5.00 begin to descend a cliff of Rocks
 15.00 a stream 20 lns. wide O. S. begin to ascend steep hill
 40.00 rose the hill & set of Sec. post at the average
 distance from which
 a Beech 16 in. diam. bran N 10 E 23 lns. dist. of
 a Beech 18 " " " N 71 W 21 "
 52.00 a small stream 8 lns. wide course N 70 E
 80.00 to Sec. Corner

South Between Sect. 9 & 10

- 40.00 Set of Sec. post, from which
 a Beech 15 in. diam. bran N 10 W 12 lns. dist. of
 a W. Ash 18 " " " N 20 E 26 "
 45.00 a Beech 18 " "
 80.00 Set post Cor. to Sect. 9, 10, 15 & 16; from which
 a Maple 8 in. diam. bran West 7 lns. dist. of
 a Do. 12 " " " N 68 E 20 "
 Low wet land, Maple, Elm Beech &c. soil cold & rate

N. N. 109 E. 2nd Mer. Indiana

ch² 1/2
South

Between Secs. 4 & 5

25.00 enter fallen timber head, E & W.

40.00 Set q^r. Sec. post in fallen timber from which
a Beech 8 mi. dist. bear S 20 W 32 km. dist. of
no other

41.00 a Spring branch runs S. W. & enters timbered land

75.50 a stream 6 km. wide Course W.

80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which
a Beech 24 mi. dist. bear S 20 E 34 km. dist.

No other this post stands in a small improvement
level 2nd rate land, timber Beech, Oak, Poplar &c.

East On Rand^m. between Secs. 4 & 9

40.00 Set temp^y. q^r. Sec. post

81.00 Intersected the N. & S. line 140 km. N. of post
Land timber &c. Same as on the last mile

West Connected between Secs. 4 & 9

40.50 Set q^r. Sec. post, at average dist. from which
a W. Oak 36 mi. dist. bear N 16 E 14 km. dist. of
a Beech 18 " " " S 70 E 26 " "

45.50 a do. 36 " "

54.50 a stream 10 km. wide Course N. W.

81.00 to Sec. Corner

South Between Secs. 8 & 9

40.00 Set q^r. Sec. post, from which

a Hickory 8 mi. dist. bear N 14 W 18 km. dist. of

a W. Oak 15 " " " N 16 E 22 " "

57.50 a stream 10 km. wide Course S. W.

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which

a Beech 15 mi. dist. bear S 84 W 21 km. dist. of

a do. 24 " " " N 45 E 18 " "

Land timber &c. Same as on the last mile

South Between Secs. 5 & 6

St. V. C. E. 2nd Mer. Indiana

ch. P. 1/4

- 9.20 a Poplar 48 in. dia.
 11.00 a small improvement
 34.00 a Spring branch runs S.W.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. branch S 82 W 12 lns. dist. of
 a do. 18 " " " N 80 E 24 " "
 48.50 a stream 12 lns. wide course W.
 52.50 a small improvement fence fallen timber
 65.00 enter timber land
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 18 in. dia. branch S 84 W 22 lns. dist. of
 a do. 18 " " " N 80 E 11 " "
 Level 2nd rate land, timber Beech, Poplar, Ash, Sugar
 underg^g, Spruce &c.

West Between Sec. 6 & 7

- 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. branch East 35 lns. dist. of
 a do. 18 " " " S 50 E 24 " "
 in fallen timber
 76.00 to the Grant line in the fallen timber
 Set post Cor. to Sec. 6 & 7, from which
 a Beech 10 in. dia. branch S 32 E 30 lns. dist. of
 a do. 3 " " " N 30 E 10 " "
 This mile rich land, timber destroyed by wind.
 Beech, Poplar, birch &c. 2nd rate

East On Rand^m between Sec. 5 & 8

- 40.00 Set of Sec. post temporarily
 79.77 intersected the N & S line 20 lns. N. of post
 Land level 2nd rate Beech, Poplar, Soil rich
 underg^g, Spruce &c.

West Connected between Sec. 5 & 8

- 1.00 a Spring branch course N.
 16.00 a Poplar 60 in. dia.

T. N. R. 9 E. 2^d. Mer. Indiana

355

ch. 2. 1/4

- 40.00 Set q. Sec. post, from which
a Beech 14 m. dist. from N 65 W 30 1/4. dist. of
a Do. 12 " " " N 6 E 22 " "
79.77 to Sec. Corner.

South Between Sec. 7 & 8

- 2.06 a Poplar 60 m. dist.
40.00 Set q. Sec. post, from which
a Beech 24 m. dist. from North 22 1/4. dist. of
a Do. 9 " " " S 20 E 16 " "
77.00 a small stream course W.
80.00 Set post cor. to Sec. 7, 8, 17 & 18, from which
(The Bearings Omitted by S. Sudlow)
Land timber &c. Same as on the last mile

South Between Sec. 17 & 18

- 15.00 a stream 10 m. wide course S. W.
28.84 Set post in line of the Grant from which
a Beech 12 m. dist. from N 52 W 48 1/4. dist. of
a Gum 22 " " " N 73 E 39 " "
Land &c. Same as on the last mile

West Between Sec. 7 & 18

- 4.50 a stream 6 m. wide C. S. W.
20.50 to the Grant line a W. Oak 10 m. dist. stand
for the corner
Land timber &c. Same as on the last mile

East On Rand. between Sec. 8 & 17

- 40.00 Set temp. q. Sec. post
80.00 Intersected N & S. line 9 m. S. of post
Level 2^d. rate land, timber Beech, Oak, Poplar &c

West Connected between Sec. 8 & 17

- 40.00 Set q. Sec. post at average dist. from which
a Beech 28 m. dist. from S 86 E 15 1/4. dist. 5

T. N. R. G. E. 2^d. Mer. Indianach. P. 1st

a Beech 10 in. dia. bray N 40 E. 18 lb. dist. of
 52.00 a Stream 12 lb. wide Course S. W.
 80.00 to Sec. Corner

East On Rand^m. between Sec. 9 & 16

40.00 Set temp^y. of Sec. post
 79.75 Intersected the N & S. line 30 lb. S. of post
 Sand low wet, Beech, Poplar &c. Cold 3^d. rate

West Corrected between Sec. 9 & 16

32.65 a Poplar 60 in. dia.
 39.87 Set of Sec. post at average dist. from which
 a Beech 24 in. dia. bray N 48 W 44 lb. dist. of
 a Do. 10 " " " N 83 E 20 " "
 47.00 a Stream 6 lb. wide (run) N.
 79.75 to Section Corner.

East On Rand^m. between Sec. 10 & 15

40.00 Set temp^y. of Sec. post
 80.18 Intersected the N & S. line at the post
 The 1st 1/2 mile broken, the last 1/2 level, timber
 Beech &c. Soil 2^d. rate

West Corrected between Sec. 10 & 15

2.50 a Stream 10 lb. wide Course N 70 E
 40.09 Set of Sec. post at average dist. from which
 a Beech 5 in. dia. bray N 78 E 7 lb. dist. of
 a Gym 18 " " " N 84 W 18 " "
 80.18 to Sec. Corner

East On On Rand^m. between Sec. 11 & 14

40.00 Set temp^y. of Sec. post
 80.25 Intersected the N & S. line 14 lb. N. of post
 This mile very hilly, Beech, Oak, ash, 3^d. rate

West Corrected between Sec. 11 & 14

S. N. P. 9 E. 2^d Mer. Indiana

357

ch. 2^d th

- 15.00 begin to descend a steep hill
 40.12 Let q^r. Sec. post at average dist. from which
 a Beech 4 in. dia. bears N 70° E 7¹/₂ th. dist. &
 a Do. 6 " " " N 59° W 28 " "
 45.00 a stream 20 th. wide Course S. 20 E.
 80.25 to Sec. Corner

East On Land^m. between Sec. 12 & 13

- 40.00 Let temp^y. q^r. Sec. post
 80.20 Intersected the N & S. line 62 th. N. of post
 This mile hilly Oak, Ash, Poplar, Soil rich 3^d rate

West Corrected between Sec. 12 & 12

- 37.67 a Poplar 60 in. dia.
 40.10 Let q^r. Sec. post, at average dist. from which
 a Hickory 14 in. dia. bears N 87° E 22 th. dist. &
 a Beech 10 " " " S 48° E 20 " "
 75.00 a Small Improvement
 68.00 a Stream 16 th. wide Course S. begins to ascend a steep hill
 80.20 to Section Corner

South Between Sec. 13 & 14

- 15.00 a Stream 20 th. wide runs E. begin to ascend steep hill
 40.00 rose the hill & Let q^r. Sec. post, from which
 a W. Ash 28 in. dia. bears N 28° W 13¹/₂ th. dist. &
 a Blue Ash 18 " " " S 20° W 11 " "
 65.00 begin to descend a cliff of rock, a Small improvement
 80.00 Let post Cor. to Sec. 13, 14, 23 & 24, from which
 a Buckeye 28 in. dia. bears N 30° E 22 th. dist. &
 a Sugar 12 " " " S 86° W 27 " "
 This distance broken with mountains & cliffs of
 rocky Soil 3^d rate

East On Land^m. between Sec. 13 & 24

- 10.00 rose the hill & begin to descend
 40.00 Let temp^y. q^r. Sec. post in the backwater of a creek

N. E. 2nd Mer. Indiana

80.00 Intersected E. boundary 220 th. N. of post
 Sand broken 2 of 3rd rate, timber Beech, Oak &c.
 First 1/2 mile level

West Connected between Secs. 13 & 24
 35.00 a creek 50 th. wide course S 30 W.
 40.00 Set of Sec. post at average dist. from which
 a Maple 12 in. dia. bran N 80 E 19 th. dist. of
 1 no other tree
 44.00 begin to ascend a steep hill
 80.00 to Sec. Corner.

South Between Secs. 23 & 24
 10.00 rose the hill
 40.00 Set of Sec. post, from which
 a Beech 36 in. dia. bran N 45 E 30 th. dist. of
 a Sugar 14 " " " N 45 N 34 " "
 80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a Dogwood 6 in. dia. bran S 80 E 29 th. dist. of
 a Do. 8 " " " N 4 E 29 " "
 This mile on the hill, Oak, Dogwood &c. 3rd rate

South Between Secs. 25 & 26
 25.00 to the River bank set post, from which
 a Maple 16 in. dia. bran S 70 E 34 th. dist. of
 a W. Oak 18 " " " N 70 W 55 "
 length way a cliff of Rock 40 feet high, timber
 Oak, Ash &c. Soil 3rd rate.

East Between Secs. 24 & 25
 Begin to descend a cliff of rocks 40 feet high
 10.00 a small bottom
 16.50 to the bank of the River, set post, from which
 a Beech 36 in. dia. bran N 50 W 25 th. dist. of
 a Sugar 16 " " " S 36 W 34 " "
 this distance, Oak, Ash, Soil rich, but large rocks

S. N. 129 E. 2^d Mer. Indiana

ch. lny

South Between Sec. 14 & 15

10.00 rose a steep hill

40.00 Let q. Sec. post, from which

a Beech 5 mi. dist. by N 70 E 7 lny. dist. of

a Do. 6 " " " N 59 W 28 " "

80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which

a W. Oak 60 mi. dist. by South 18 lny. dist. of

a Beech 12 " " " N 30 E 7 " "

This mile level, except the first 1/4 quarter, Oak,
Beech, Gum, 3rd rate soil, wet & coldEast On Land^m. between Sec. 14 & 23

40.00 Let temp. q. Sec. post

80.00 Intersected the N & S. line at the post

This mile level except the first q. Beech, Oak
Gum &c. Soil 3rd rate

West Connected between Sec. 14 & 23

40.00 Let q. Sec. post at average dist. from which

a Beech 5 mi. dist. by East 8 lny. dist. of

a Do. 10 " " " S 81 W 22 " "

51.60 a Beech 22 " "

80.00 to Sec. Corner

South Between Sec. 22 & 23

40.00 Let q. Sec. post, from which

a Beech 3 mi. dist. by N 40 E 8 lny. dist. of

a Do. 10 " " " S 79 E 24 " "

80.00 Let post Cor. to Sec. 22, 23, 26 & 27, from which

(the Bearing trees Omitted)

Land level 3rd rate, Beech, Oak, Maple &c

South Between Sec. 15 & 16

40.00 Let q. Sec. post, from which

an Elm 12 mi. dist. by N 74 E 9 lny. dist. of

a Maple 12 " " " N 48 W 19 " "

St. N. R. G. 2nd Mer. Indiana

ch. P. lhy

80.00 Let post Cor. to Secs. 15 & 16, 21 & 22, from which
 a Maple 15 in. dia. - bray N 69 W 13 lhy. dist. of
 a do. 18 " " " S 80 E 7 " "
 Low & wet timber Beech, Maple &c. Soil 3rd rate

East On Rand^m. between Secs. 15 & 22

40.00 Let temp^y. of Sec. post

79.00 Intersected the N & S. line 50 lhy. S. of post
 Sand timber &c. Same as on the last mile

West Connected between Secs. 15 & 22

39.50 Let of Sec. post at average dist. from which
 a Beech 6 in. dia. - bray N 83 E 6 lhy. dist. of
 a do. 10 " " " N 65 W 36 " "

79.00 to Sec. Corner

South Between Secs. 21 & 22

10.00 a Stream 8 lhy. wide Course S. E.

40.00 Let of Sec. post, from which

a W. Ash 12 in. dia. - bray N 40 W 6 lhy. dist. of
 a Beech 18 " " " S 35 E 40 " "

80.00 Let post Cor. to Secs. 21, 22, 27 & 28, from which
 a Gum 18 in. dia. - bray N 82 W 6 lhy. dist. of
 a Poplar 28 " " " N 5 E 10 " "
 Sand level 3rd rate, Soil wet, Beech, Gum &c.

South Between Secs. 16 & 17

40.00 Let of Sec. post, from which

a Beech 28 in. dia. - bray N 4 W 20 lhy. dist. of
 a do. 20 " " " — 40 E 19 " "

77.00 a Stream 8 lhy. wide Course S 20 W

80.00 Let post Cor. to Secs. 16, 17, 20 & 21, from which
 a Beech 24 in. dia. - bray S 50 W 16 lhy. dist. of
 a W. Oak 10 " " " S 70 E 16 " "

Sand, timber &c. Same as on the past mile

361

Mt. Vge. 2nd Mer. Indiana

ch²ly

South Between Secs. 20 & 21

40.00 Set q^r. Sec. post, from which
an Elm 12 in. dia. bray South 24 lms. dist. of
a Hickory 12 " " " N 4 E 28 " "
64.00 to Clark, Grant line, an Elm 8 in. dia. stand
for a Corner, low wet, Soil Cold 3rd rate

West Between Secs. 17 & 20

0.50 a stream 10 lms. wide Course S.W.
40.00 Set q^r. Sec. post, from which
a Beech 4 in. dia. bray N 10 E 3 lms. dist. of
a Do 4 " " " N 44 E 10 " "
44.13 to Clark, Grant, set post, from which
a Beech 24 in. dia. bray N 60 E 24 lms. dist. of
a Do. 12 " " " N 4 W 25 " "
Level land 2nd rate timber Beech, Sugar, Poplar

East On Rand^m. between Secs. 16 & 21

40.00 Set temp^y. q^r. Sec. post
70.00 a large deer lick 150 lms. to our right
80.00 Intersected the N & S. line at the post
Low wet 3rd rate land, Beech, Maple &c

West Connected between Secs. 16 & 21

10.00 a deer lick on our left
40.00 Set q^r. Sec. post at average dist, from which
50.00 a Beech 12 in. dia. bray N 69 W 3 lms. dist. of
no other tree
80.00 Section Corner.

West Between Secs. 21 & 28

40.00 Set q^r. Sec. post, from which
a Maple 3 in. dia. bray N 28 E 13 lms. dist. of
a Beech 18 " " " S 5 W 18 " "
51.00 a stream 8 lms. wide Course S.W.
57.00 a Do. 8 " " " S.

362 S. N. R. G. 2nd Mer. Indiana

ch. 1st 1/2

67.25 to Clark's Grant line, 1st post Cor. to Sec. 21 &
28, from which
a Beech 10 in. diam. bear N 40 E 8 km. dist. &
a Do. 24 " " " N 50 E 28 " "
Sand level, Beech, Poplar &c.

East On Rand^m. between Sec. 22 & 27

40.00 1st temp. q. Sec. post

78.60 intersected the N & S. line 60 km. S. of post
Sand level 2nd rate timber Beech, Ash, Poplar
&c. underg^t. Spruce

West Corrupted between Sec. 22 & 27

2.50 a Stream 6 km. wide Course S.

32.50 a Do. 6 " " " S.

39.30 1st q. Sec. post at average dist. from which
a Dogwood 6 in. diam. bear N 20 W 2 km. dist. &
a Beech 12 " " " S 79 E 19 " "

46.50 a Stream 12 km. wide Course S. rocky bottom

78.60 to Sec. Corner

East On Rand^m. between Sec. 23 & 26

40.00 1st temp. q. Sec. post

80.00 intersected the N & S. line 21 km. N. of post
Level 3rd rate land, Beech, Oak, Birch &c.

West Corrupted between Sec. 23 & 26

40.00 1st q. Sec. post at average dist. from which
a Beech 28 in. diam. bear East 9 km. dist. &
a Do. 16 " " " S 84 W 6 " "

72.50 a Stream 6 km. wide Course S. W.

80.00 to Sec. Corner

South Between Sec. 26 & 27

22.50 a Stream 8 km. wide Course S. W.

40.00 1st q. Sec. post, from which

T. 129 E. 2^d Mer. Indiana

363

Ch. P. 1/4

- a R. Oak 24 in. dia. brang S 57° W 40 lns. dist. of
- a Spruce 10 " " " S 36° E 16 " "
- 48.00 a Stream 6 lns. wide Course W.
- 76.00 a Spring branch Cr. W.
- 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
- a W. Ash 18 in. dia. brang N 68° E 16 lns. dist. of
- an Elm 10 " " " N 26° E 22 " "
- Land level 2^d rate Beech, Ash, Poplar &c.
- under 4th Spruce &c.

South Between Sec. 27 & 28

- 40.00 Set of Sec. post, from which
- a Beech 12 in. dia. brang S 10° W 16 lns. dist. of
- a Do. 20 " " " N 20° E 29 " "
- 80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which
- a Beech 10 in. dia. brang N 70° W 24 lns. dist. of
- a Do 24 " " " N 16° E 9 " "
- Level 2^d land, Beech, Poplar &c. under Spruce

South Between Sec. 33 & 34

- 11.00 a Small Stream 8 lns. wide Course W.
- 15.83 to Clark's Grant line, set post, from which
- a W. Walnut 24 in. dia. brang N 35° W 6 lns. dist. of
- a Hickory 10 " " " N 29° E 11 " "
- Land timber &c. Same as on the last mile

West Between Sec. 28 & 33

- 11.25 to Clark's Grant line, set post, from which
- a Beech 10 in. dia. brang N 30° W 15 lns. dist. of
- a Do. 10 " " " S 50° W 14 " "
- Land timber &c. Same as last.

East On Rand. between Sec. 27 & 34

- 40.00 Set temp. of Sec. post
- 79.00 Intersected the N & S. line 29 lns. S. of post
- Land timber &c. Same as on the last mile

364

St. R. E. 2nd Mer. Indiana

ch. 2nd Mer.

West Corner between Secs. 27 & 34

25.00 a Spring branch runs S.W.

29.50 a stream 14 lbs. wide runs S. much full
a fine Mill Seat

39.50 an Elm 12 in. dia. Marked for q. Sec. Cor.
at average dist. on true line

79.00 to Sec. Corner.

East Between Secs. 26 & 35

40.00 Set q. Sec. post, from which
a Mulberry 14 in. dia. bray N 49 E 37 lbs. dist. of
a Beech 36 " " " S 80 W 17 " "

50.00 to the River Cliff 50 feet perpendicular rock

59.29 to the Bank of the River, an Elm 6 in. dia.
stands for the corner, Oak Beech &c.

South Between Secs. 34 & 35

5.50 a Spring branch S.W.

17.50 a Beech 30 in. dia. in the line

40.00 Set q. Sec. post, from which

a Beech 36 in. dia. bray S 80 E 17 lbs. dist. of
a Poplar 25 " " " N 45 W 51 " "

83.18 Intersected the S. boundary — Ch. — of post

Set post Cor. to Secs. 34 & 35, from which

a Beech 6 in. dia. bray S 30 W 6 lbs. dist. of

a Dogwood 3 " " " East 13 " "

Level 2nd rate, Beech, Poplar &c. winding to
Spice &c.

Meanders of the Ohio on the S.E. side
of Sec. 35, beginning at post in S. boundary
thence up stream

N 37 E 18.23

N 31 E 48.89

N 22 E 16.34

N 15 E 21.25 to line between Secs. 26 & 35

T. 1 N. R. 9 E. 2^d. Mer. Indiana

365

Course distance

N 18 E 7.50 mi Sec. 26

N 17 E 22.88

N 26 E 7.88

N 20 E 2.88

N 26 E 6.78

N 15 E 6.71

N 29 E 8.25 to line between Sec. 25 & 26

From post on E. boundary of Sec. 24
Thence down stream

S 60 W 15.44

S 62 W 15.00

S 67 W 11.22 a Creek 50 lbs. wide head North

S 54 W 11.67

S 40 W 6.47

S 46 W 5.71

S 35 W 10.11 to line between Sec. 24 & 25

S 40 W 13.04 mi Sec. 25

S 36 W 5.00

S 30 W 11.63

S 25 W 4.20 to line between Sec. 25 & 26

May 8th 1807

Surveyed by

Stephen Ludlow,

Deputy Surveyor

I certify that the foregoing transcript of field notes of Township T. 1 N., Range R. 9 E., 2^d. Mer. Indiana, has been compared with the original notes in this Office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 11. 1842

William Johnston
Sur. Genl.